



TERMÉK

# CAMBIUM NETWORKS

## PMP450

DÁTUM

2014.12.04.

ELŐADÁS

NMHH - 3400-3800 MHZ



# PMP450 KAPACITÁS

- MAX 125 Mbit/SZEKTOR
- MAX 90 Mbit/SM
- MAX 238 SM/SZEKTOR
- MAX 1,5 Gbit/ADÓPONT
- MODULÁCIÓ: 256 QAM
- 6,25 bit/Hz
- KÉSLELTETÉS: 3-5ms





# PMP450

## FREKVENCIA HASZNÁLAT

- 3,3-3,6 & 3,55-3,8 GHz
- 5/7/10/20 MHz
- SCHEDULED TDD
- GPS SYNCH
- FREQUENCY REUSE
- ABAB / ABCABC


All APs  
transmit at the  
same time



All APs  
receive at the  
same time



This Reduces Self Interference  
And Enables Networks to be Co-Located





# **PMP450 FELHASZNÁLÁS**

- **WIRELESS FIXED ACCESS**
- **RESIDENTIAL/LEASED LINE**
- **LOS, nLOS, NLOS**
- **ADAT**
- **VoIP**
- **IPTV (MULTICAST)**
- **CCTV/SURVEILLANCE**





**KÖSZÖNÖM A FIGYELMET!**